PUBLICAUCION

A Major Producer of Space Shuttle Components

Santek Engineering Inc.

4333 Highway 79 South, Guntersville, Alabama 35976

SHOP CLOSED — COMPLETE SELLOUT

Thursday, April 19, 11:00 A.M.

Preview: Wednesday, April 18 From 9:00 A.M. to 4:00 P.M.

LARGE INVENTORY OF QC EQUIPMENT INCLUDING BROWN & SHARPE CMM

MACHINE & FABRICATION TOOLS
OKUMA & HOWA, MORI SEKI, & MORE

10% BUYER'S PREMIUM

www.stonequationeers.com



Mike Stone CAI, AARE, GPPA, CAGA • AL Anetion Lie. #1446 Licensed in MS 750, MS Firm #1070F, AL 1446, GA 002910, TN 5856, KY 2714, MO 50, FL 050568488, IL 1274, TX 12033 61 Lakeview Lane • Carrollton, AL 35447 Phone (662) 243-1050 • Fax (775) 640-8487

"Rock Solid Accelerated Marketing Strategies"

CHC MACHINING

MAJORITY OF MATERIAL USED ON THESE CNC MACHINES HAS BEEN ALUMINUM



OKUMA & HOWA Mdl. Millac65V Vertical Machining Center, travel 22.83' x 25.59" x 78.74", Fanuc 16M controls, 50 taper, 30 ATC, chip conveyor, 25 hp., 4th axis compatible, s/n 66884, cutting time 1,629.46 hrs., power on time 20,892 hrs., 1995.



OKUMA & HOWA Mdl. Millac511 Vertical Machining Center, travel 40" x 20" x 20.47", Fanuc 18M controls, 40 taper, 20 ATC, 10,000 RPM, 25 hp., 4th axis compatible, s/n 5075, cutting time 1,436 hrs., power on time 20,818 hrs., 1995.

A Major Producer of Space Shuttle Components Santek Engineering Inc. Thursday, April 19, 11:00 A.M.



MORI SEIKI Mdl. MV40B Vertical Machining Center, travel 31.4" x 16.1" x 20", 40 taper, MF-M6 controls, 20 ATC, 15 hp., 4th axis compatible, s/n 003499, cutting time 817 hrs., power on time 26,725 hrs., 1994.



MORI-SEIKI MdI. 45/40 Vertical Machining Center, travel 23.6" x 18.1" x 20.1", Fanuc MRC 1 controls, 40 taper, chip conveyor, 20 ATC, 15 hp., 1984.

CHE MACHINING

MAJORITY OF MATERIAL USED ON THESE CNC MACHINES HAS BEEN ALUMINUM



SODICK MdI. A280L Wire EDM, Mark EXEDW controls, 20" x 30" tank capacity, travels 12" x 8" x 6.7", 1990.



MORI SEIKI Mdl. SL25/500 Lathe, 20.5" x 24.6" bed, X=6.3", Y=24.6", 20 hp., w/chip conveyor, 13.7" cross slide, 40" centers, 20 hp., 6-station turret, programmable tailstock, MY-T3 control, auto. cutting time 5,248 hrs., power on time 31,024 hrs., 1987.

CONVENTIONAL MACHINING



LIBERTY Horizontal Planer Mill, 10' x 58" table, 44" travel, 24' bed travel, 94" horizontal head travel, 2-axis DRO, s/n J-01050281280, Bridgeport-style converted head, variable speed.

CINCINNATI GILBERT Horizontal Boring Mill, 5" spindle bore, 48" x 72" table, 60" x 8' travel, 120" bed, auto positioning, 36" travel bar, 20 hp., s/n J59, 1957.





BRIDGEPORT 9" x 42" Vertical Mill, SP, w/Mitutoyo 2-axis DRO, s/n 80167.



BRIDGEPORT 9" x 42" Vertical Mill, VS, power feed at X, s/n 215195.



BRIDGEPORT 9" x 42" Vertical Mill, SP, 2-axis DRO, s/n 131811.



BRIDGEPORT 9" x 42" Vertical Mill, VS, 2-axis DRO, power feed at X, s/n 214811.



BRIDGEPORT Vertical 9" x 42" Mill, VS, 2-axis DRO, power feed at X, s/n 197984, Bridgeport shaping attachment, s/n E6447.

GRINDERS



BLANCHARD Mdl. 18 Rotary Surface Grinder, 42" magnetic chuck, 50 hp., s/n 8758.



DURA-PLANE Mdl. 5817 Horizontal Surface Grinder, 24" x 8" magnetic chuck, s/n 1002.



Tool and Cutter Grinder.



CINCINNATI CINCINNATI Mdi. 1024 Universal Grinder, 10" x 24" x 13" wheel cap., w/ID attachment, 5 hp.



FRITZ-WERNER 4" x 63" Horizontal Mill, 10 hp., s/n 2212.



CINCINNATI No. 3 Horizontal Mill, w/vertical head attachment, 16" x 65" table, 7.5 hp., s/n 4J3T1Z-2.



MILWAUKEE Mdl. K 18" x 83" Vertical Mill, table, 6" machine vise, s/n 17-4233.

NOT **BROWN & SHARPE #20**

Horizontal Mill, 10" x 50" table, 10 hp.



CLAUSING COLCHESTER Gap Bed Engine Lathe, 17" x 80", threading, taper attachment, tailstock, 16" 4-jaw chuck, 10 hp., s/n 7/00/8/06875.



CLAUSING COLCHESTER Engine Lathe, 13" x 40", threading, collet closer, tailstock, 8" 3-jaw chuck, 10 hp., s/n 5/0014/04613.



CLAUSING COLCHESTER Engine Lathe, 13" x 40", threading, collet closer, tailstock, 10 hp., s/n 5/004/2837DD.



VICTOR Mdl. 2040 Engine Lathe, 20" x 40" threading, 3.25" spindle bore, 12" 3-jaw chuck, steady rest, 5 hp., s/n 760192.

CONVENTIONAL MACHINING

LATHES, cont.



LEBLOND REGAL Engine Lathe, 21" x 120", threading, cross slide, 15" 4-jaw chuck, steady rest, tailstock, 10 hp., s/n 2F550.



GISHOLT No. 3 Turret Lathe, 22" swing x 81" bed length, 6-station turret, 16" 3-jaw chuck, 25 HP, s/n 315-X9.



SCHIESS Vertical Turret Lathe, 52" cap., pendulum controls, dual head (1 head broken), 90 hp., s/n 32733404.



AMERICAN Hole Wizard C1-32-20-02 Radial Arm Drill, double pedestal base, 33" x 48" shop made box table, 13" column, 4' arm, 5 hp.



EX-CELL-O CORP. Elox Mdl. 242 EDM, 19" x 38" tank, 30" x 7' work surface.

SAWS & ENGRAVER



HE&M Mdl. H105-A Automatic Horizontal Band Saw, 14" x 16" cap., chip auger, power blade tension, auto feed, w/20' runout roller conveyor, s/n 653499, 1999.



MONODE Mdl. C151 ZA Engraver, 2004



DoALL Mdl. 16-M Vertical Band Saw, $24" \times 24" \times 10"$, s/n 13459187; **Roll-In Band Saw**, $30.5" \times 18" \times 15"$; **Roll-In Band Saw**, $18.5" \times 19.5" \times 10"$.

PABRICATION TOOLS



NIAGARA Mdl. 5-36 Plate Roll, 36" x 3/16" cap., 30" x 20" work table, s/n 57221.



CHICAGO MdI. 6L-8 Mechanical Press Brake, 8', 2.5" ram, ROBG, 78" BH, s/n L7651.



MUBEA Mdl. HIW66 Ironworker, 50-ton cap., s/n 001502080666807.



DAKE Mdl. 5-076 Hydraulic H-Frame Press, 75-ton cap., s/n 162688.



STAMCO Mechanical Shear, 8' x 3/16" cap., 4' squaring arm, ROBG, s/n L7651.



BROWN & SHARPE MdI. XCEL9159P Coordinate Measuring Machine, travel 40" X , 60" Y, 35" Z, w/PH10MQ Probe, PC-DMIS DCC (on line), Data Page Real Time statistical software, s/n 0799-2445, 1999.

QUALITY CONTROL

QUALITY CONTROL EQUIPMENT NOT PICTURE

BARTAS Granite Surface Table and Stand, 43" x 43" x 12".

COVEL Optical Comparator, Style 14, 15" screen, 13" x 6" work surface, s/n 14-1426.

BROWN & SHARPE Mdl. Coordinate Measuring Machine, s/n 0896-1003.

BARTAS Black Granite Grade A Surface Plate, 36" x 24" x 4".

Granite Surface Plate, w/ledge and stand, 36" x 24" x 6".

BROWN & SHARPE Granite Double AA Surface Angle.

BROWN & SHARPE Mdl. 4K009510 MicroHeight 600 Height Gauge,

BROWN & SHARPE Mdl. 800108 MicroHeight Height Gauge, s/n 07.60052.

GRAY TRUSTONE CORP. Granite Grade AA Surface Plate, 14" x 48" x 8' on stand, s/n 28102. (2) T-Slotted Angle Plates, 14" x 15" x 12".

TOGOSHI SEIKI CO. Hardness Tester, w/calibration kit.

OHAUS Mdl. CT1-200-S Digital Scales, s/n 18839, cap. 1,200 x .12 gauge.

ENVIRONMENTAL
TECHTRONICS CORP.
Barometric Pressure Indicator.

Digital Calipers.

Micrometers.

Gauge Pin Sets.

Miscellaneous Plug Gauges and Ring Gauges.

Miscellaneous Stamps.

Veneer Calipers.

Dial Calipers.

MITUTOYO 37" Precision Square.

AMERICAN INSTRUMENT Finish Tester.

IDEAL Electric Etching Machine.

HARVARD TRIPP Balance Scales, 5-lb. cap.

G.W. Mdl. GOM-801G Mili-Om-Meter.

Mics, w/standards.

SCHERR-TUMICO Jodi Blocks.

12" Precision Level.

FOWLER Protractor.

FUJI Radius Gauge Sets.

ID Gauges.

Depth Gauges.

Gauge Block Sets.

PROTO TORQUE Screwdriver.

Countersink Gauges.

VANKUREN Pin Gauges.

MITUTOYO Height Gauges.

MICROHEIGHT Calibration Accessory Kit.

Precision Angle Plates; V-Blocks; CADILLAC Gauge.

Demagnetizer and Etching Heat Gun.

Pneumatic Torque Wrenches.





SHOR SUPPORT



PROSERVE Bridge Crane, 60' span, single girder, top running, w/Shepard Niles 10-ton underslung hoist, 110' of rail, pendulum controls.



INGERSOLL-RAND Mdl. 30T Air Compressor, 2-stage, s/n 781093.



ESAB Heliarc 252 AC/DC Welder, s/n TOR155004.

AIRCO Mdl. 3A/DDR-224HPA/B-D AC/DC Heliwelder, set up for TIG.

WESTINGHOUSE Stick Welder.

WELDING

LINDE Mdl. VI400 CV/DC Wire Welder, s/n D79D15516.

AIRCO Mdl. 1954 1343 Stick Welder, s/n 3378.

COBRAMATIC 260 Wire Welder.

Oxygen/Acetylene Cart Hoses, regulator, torch.

Welding Consumables.

PHOENIX Type 300 Mdl. 16C Dry Rod Electrode Stabilizing Oven, 1,000 watts.



NOT PICTURED

Shop Carts.

Shop Cabinets.

KENNEDY Toolbox.

5 Hp. Air Compressor, w/80-gal. tank. **410 SS Layout Table**, 36" x 48", 2,420-lb.

Metal Stock.

Sandblasters and Equipment.

 $\textbf{Heavy-Duty Mobile Engine Lift}, 3,\!000\text{-lb. cap}.$

1" Belt Sander.

RIDGID Mdl. 535 Power Threader, w/stand.

Belt/Disc Sander, 8" disc, 1" belt.

Abrasive Cutoff Saw.

HOSKINS Heat Treat Oven.

CRAFTSMAN Radial Arm Saw, 10".

Flammable Paint Cabinet.

Miscellaneous Non-Perishable Lathe Tooling.

Miscellaneous Die Carts.

Warehouse Banding Machine.

HUNSHENG Warehouse Scale.

Miscellaneous Shop Tables.

Double Station Sandblast Cabinet.

HOBART Portable Welder/Generator.

Riveting Station, including tool cabinet and contents.

Drum Caddy, 800-lb. cap.

Ladders.

No. 3 Arbor Press, 11.5" cap.

DIEGRAPH Mdl. GGS747 Stencil Machine.

DELTA ROCKWELL Drill Presses.

(2) CM Overhead Electric Chain Hoist, 8-ton.

ONLD

TSUDAKOMA Removable 4th Axis CNC Rotary Table.

Rolling Die Cart.

Non-Perishable Mill Tooling.

SWECO Wet Vibratory, 10" x 12" part cap., 2.5 hp.

(2) T-Slotted Tables, 48" x 105.5" work surface

(2) Watering Troughs.

DAISOWA SEIKI Right-Angle Attachments, AGR20-850EH272R.

HAWN Boring Heads, w/tooling.

Tapping Heads.

Miscellaneous Screw Jacks.

(2) DO-MORE Tool Post Grinders.

5,000-Lb. Cap. Pallet Jack.

Certified Metals Inventory.

Certified Military and NASA Flight Hardware.

Perishable Tooling, including endmills, drills, reamers, inserts.

Miscellaneous Non-Critical Hardware.

Pedestal Grinders.

Hand Tools.

Welding Tables.

Fans.

Portable Exhaust Collector.

Rigging Equipment.

Thursday, April 19 11:00 A.M.





61 Lakeview Lane Carrollton, Alabama 35447

"ROCK SOLID ACCELERATED MARKETING STRATEGIES"

Presorted First Class Mail U.S. Postage PAID Eugene, Oregon Permit No. 305





















YOUR ABSENTEE BIDS ARE WELCOME

Phone (662) 243-1050 or Visit www.stoneauctioneers.com to Download: Advance Registration Forms • Absentee Bid Forms • Sale Terms & Conditions

TERMS & CONDITIONS

immediately after the auction in U.S. currency, claim as to quality, character or condition of any their own risk, with notice of the conditions at the bank-certified U.S. funds, or company check with property purchased by the bidders. bank letter of authorization. Here's how your letter should read: (Customer Name) is a customer of this bank. This bank guarantees for a period of ten banking days from (sale date) unconditional payment of their company check made payable to RISK OF LOSS: The auctioneer and seller are not Stone Auctioneers & Appraisers in the amount of \$_____. In default of payment and or property not removed within the specified time, the auctioneer, in addition to all other remedies allowed by law, will retain all monies received and resell the property at public sale without further notice. Any deficiency, including expenses of resale, will be charged to the defaulting bidder.

BUYER'S PREMIUMS: A 10% buyer's premium will apply. These premiums will be added to every purchase to make up the sale total.

REGISTRATION: Buyers represent and warrant that this registration is made for the buyer alone and not on behalf of any other person. The auctioneer reserves the right to revoke any bidder card and eject any person at any time.

the property and to rely exclusively upon this inspection in order to bid or purchase at the sale.

MEMORANDA OF SALE: The record of sale kept by the auctioneer or bookkeeper must be taken by the bidder or buyer as absolute and final in all disputes.

NO WARRANTIES: All property is sold "as-is, where-is" with all faults. There are no warranties, representations or guarantees as to quality, character risk and expense of the buyer and or their agent or condition of the property. The implied warranty of unless otherwise stated on the auction invoice.

ACCESSORIES: All tooling and accessories will be sold separate from the equipment unless otherwise stated.

responsible for any lost, damaged or stolen property, of any kind, regardless of circumstance. The buyer assumes delivery, full responsibility and accepts all risk of loss for any property purchased from the time the auctioneer accepts the buyer's bid regardless of the check out or closing process.

THEFT: The theft of any property should be reported to the local police. It is the right of all auction buyers to prosecute anyone caught stealing to the fullest extent of the law.

CHECK OUT & REMOVAL: The buyer has no right of abandonment whatsoever. The buyer agrees to ADDITIONAL: Announcements made by the remove all purchased property from the auction site auctioneer prior to the sale shall become a part of this From Birmingham, Alabama: Take I-59 North within the specified time announced or posted in the agreement. Although all information auction catalog. Property not removed within the obtained from sources deemed reliable, the time specified will be resold or disposed of by the auctioneer and seller make no guarantee whatsoever any person at any time.

auctioneer or seller without additional notice and in to the accuracy of any printed materials. The INSPECTION: The buver agrees to physically inspect addition to all other remedies allowed by law, the auctioneer reserves the right to refuse admittance to auctioneer will retain all monies received and add any deficiency or expense associated with resale or disposal of the property to the defaulting buyer. Riggers, movers, electricians or anyone working as such must provide the auctioneer with proof of insurance. The coverage must be at a level acceptable liable for the seller's misconduct or negligence in to the auctioneer and seller. All removal expenses and regards to matters of title or failing to close on a sale the repair of damages caused by removal are at the

SETTLEMENT: The United States and State Laws merchantability is expressly disclaimed. Auction AUCTION SITE: Buyer acknowledges that the auction for failure to pay shall apply. The buyer agrees to buyers shall not be entitled to any adjustments or site is a potentially dangerous place. Every person make agreed settlement on sale day during or allowance, rescission, damages or any remedy or attending the auction sale at all times shall be there at immediately after the auction in U.S. currency, claim as to quality, character or condition of any their own risk, with notice of the conditions at the conduct of third parties now given. Buyers shall so advise their agents and employees. The buyer agrees to indemnify and hold the auctioneer and seller harmless from any claims or damages. No person shall have any claim against the auctioneer, his agents, employees or principals regardless of personal injury, loss of life or damages to or loss of property. Buyer also acknowledges responsibility for his actions and conduct and the action and conduct of their agents and employees throughout the sale and checkout process.

> DISPUTES: Any disputes that arise during the course of the sale or pay period shall be decided by the auctioneer. The decision of the auctioneer shall be final and absolute.

anyone. The auctioneer reserves the right to withdraw items, alter the sale order, accept bids from the seller and group lots as he deems appropriate. Absentee bids will be bid proxy from the auctioneer and staff. The bidders and or buyers will not hold the auctioneer or failing to disclose defects of any kind including that of hazardous waste. Buyers and bidders will look to the seller in these matters.

WANTED:

Manufacturina Facilities, Machine & **Fabrication Shops**

Top-Dollar Finder's Rewards Paid. Call Mike at (662) 243-1050

DIRECTIONS

toward Gadsden approximately 48 miles to Exit 183 for Highway 278, Attala, Highway 431, Gadsden, Turn left onto 278 West/431 North/5th Avenue Northeast and go approximately .8 mile. Turn left onto 3rd Street Northwest and go approximately .3 mile. Take slight right onto Highway 278 West/431 North and go approximately 28 miles to Guntersville, Turn left onto Highway 79 South and proceed approximately 3 miles to 4333 Highway 79 South. Look for auction signs.

From Huntsville, Alabama: Take Highway 431 South approximately 38 miles. Take slight right onto Highway 79 South and proceed approximately 3 miles to 4333 Highway 79 South. Look for auction signs.