

PUBLIC AUCTION

Industrial Pump Rebuilders & Parts Supplier
Large Capacity Machine Tools



CMC Corporation

***Owner Retiring - Shop Closed After
55 Years - Everything Must Be Sold!***

2760 Pawnee Road, Birmingham, Alabama

Thursday, August 11 at 10:30 A.M. CDT

Inspection: Wednesday, August 10
9:00 A.M. – 4:00 P.M.

REAL ESTATE

1.36 Acres – 2,000 Sq. Ft. Offices – 17,180 Shops



Real Estate by American Properties

- Pump Parts Inventory
- Pump Part Casting Patterns & Drawings To Be Sold

- Spray Metal Coatings Department
- Large Quantity Machine Tooling

See it at: www.stoneauctioneers.com



STONE

AUCTIONEERS & APPRAISERS

61 Lakeview Lane, Carrollton, AL 35447 / Ph: 205 373 1130

Mike Stone, CAI, AARE, GPPA, Broker/Auctioneer / Jamison Stone, Project Manager / Buyers Premium Applies

Licensed in AL 1446, GA 002910, TN 5856-Frm 4960, KY 2714, MO 75022, FL 050568488, IL 1274, TX 13964, MS 750-Frm 1070F, NC 8694

“Rock Solid Accelerated Marketing Strategies”

A 12% Buyer's Premium Applies

CNC MACHINING & TURNING



FADAL VMC6030 Machining Center, Mdl. 907-1, X=60", Y=30", Z=30", 62.5" x 30" table, 21 ATC, Cat 40, 10,000 RPM, 15/22.5 HP, CNC88HS control, SN 9609435.



YANG Turning Center, Mdl. ML-55A, X=13.7", Z=43.3", 28.3" swing, 17.7" max. turn, 47.2" DBC, 15" 3-jaw chuck, 12-position turret, 2,000 RPM, Fanuc OT control, SN K10140.



VERTICAL TURRET LATHES

< **BULLARD VTL**, 42", w/side-head, 37" under rail, 54" swing, 5-position turret, 200 RPM, 30 HP, pendant control, SN 25778.

> **RICHARDS VTL**, 56", 2-head, 42" under rail, 6-position turret.

Large Capacity QC Equipment

- Pump Parts Inventory
- Pump Part Casting Patterns & Drawings To Be Sold

(2) TO BE SOLD



DAINICHI CNC Turning Center, Mdl. B45, X=9.1", Z=24.4", 17.3" swing, 24.2" max. turn, 32" DBC, 8" 3-jaw chuck, 10-position turret, 3,500 RPM, Fanuc 10T control, SN 20674, w/chip conveyor, Type C-200A.

DAINICHI CNC Tuning Center, Mdl. B45, X=9.1", Z=24.4", 17.3" swing, 24.2" max. turn, 32" DBC, 8" 3-jaw chuck, 10-position turret, 3,500 RPM, Fanuc 10T control, SN 20592, w/Enomoto chip conveyor, Mdl. EC-25, SN 17448.

WATERJET



FLOW BENGAL 4x4 Waterjet, Mdl. A-00776-2, 48" x 48" x 8", Z=5.9", 50,000 PSI, flow cut control, SN 1317.



LATHES



POREBA Gap Bed Lathe, Mdl. TR100 B1, 42" x 172.5" bed, 40" swing over bed, 26.77" swing over cross slide, 49.25" swing @ gap, 120" DBC, 31.5" 4-jaw chuck, tool post, TS, SR, 4-3/4" hole, taper attachment, DRO, SN 1191-181.



<
LeBLOND Regal Lathe, 24" x 48", 26" swing over bed, 18-1/4" swing over cross slide, 48" DBC, 18" 4-jaw chuck, TS, SR, 2-1/4" hole, 27-1,080 RPM, SN 5H485.

>
LeBLOND Regal Lathe, 19" x 102", 19-1/4" swing over bed, 12-1/4" swing over cross slide, 54" DBC, 15" 4-jaw chuck, TS, SR, 1-3/4" hole, 38-1,500 RPM, taper attachment, SN 7E2167.



AMERICAN Lathe, Style D, 20" x 78", 20" swing over bed, 11.5" over cross slide, 78" DBC, 15" 4-jaw chuck, TS, w/tracer attachment, 2" hole, 25-1,500 RPM, SN 77305.



BINNS & BERRY TB Lathe Gap Bed Lathe, 30" x 115" bed, 20" swing over bed, 48" swing over gap, 92" DBC, 24" 4-jaw chuck, TS, 4" hole, SN UK.

BORING MILL



CERUTI Boring Mill, Mdl. AU110, 47-1/4" x 55-1/8" table, 16,500 max. table load, 4-21/64" spindle, #6 Morse taper, 27-speed from 2.5-1,000 RPM, 31-1/2" spindle travel, 49-1/8" spindle to table max. height, 56" vertical travel, 56" longitudinal travel, 63" cross travel, 27-9/16" face plate, 9-27/32" travel of facing slide, 157-1/2" max. dist. faceplate to SR, 2-axis DRO, w/tailstock, SN 10801.



LeBLOND Regal Lathe, 19" x 78", 19-1/4" swing over bed, 12-1/4" swing over cross slide, 54" DBC, 15" 4-jaw chuck, TS, SR, 1-3/4" hole, 38-1,500 RPM, SN 8E2397.



LeBLOND Regal Lathe, Mdl. X-2499, 15-1/2" swing over bed, 9-1/2" swing over cross slide, 30" DBC, 12" 4-jaw chuck, TS, taper attachment, 2-1/4" hole, 45-1,800 RPM, SN 11C-1221.

GRINDERS



MATTISON Horizontal Surface Grinder, 24" x 24" x 72", (2) 24" x 36" chucks, SN 15610.



DoALL Surface Grinder, Mdl. D-8, 8" x 24" chuck, 10" x 26" travels, 12" x 3/4" x 3" wheel, SN 111.



LAPMASTER 24 Lapping Machine.



LANDIS Universal Grinder, 10" x 48", Accu-Rite II DRO.



LANDIS Universal Grinder, Mdl. 12X36, 12" 4-jaw chuck, w/Accu-Rite II DRO, SN 24038.

KEYSEATER



MORRISON Keyseater, Mdl. K, 1/16"-1-1/4" cap., SN KR803660.

SHAPER



CINCINNATI Shaper, 20" standard.

KNEE MILLS



CHEVALIER Vertical Knee Mill, 10" x 50" table, VS, PF@X, 8" riser, w/Sony DRO.

SAWS



PEERLESS Automatic Horizontal Bandsaw, Mdl. HB1012, 10" x 12" cap., 1-1/4" blade, 3 HP, 0-48" feed, SN 1012A-039-79.

AUTO FEED

Roll-In Bandsaw, 30.5" x 18.5".



HONE



SUNNEN Hone, Mdl. MBC-1800, SN 81048.

WHEEL PRESS



Wheel Press, 200-ton cap., 11' frame, hydraulic.

WHEEL BALANCER



STEWART WARNER Electric Industrial Balancer, Mdl. 2380, 1,000-lb. cap., 10" cap., SN 217701.

BRIDGE CRANES



DeSHAZO Bridge Crane, 3-ton cap., w/Shaw Box 3-ton hoist, single-girder, top running, under hung hoist, pendant control.



DIXIE Bridge Crane, 5-ton, Chandler Henry hoist, single-grinder, top running, under hung hoist, pendant control.

JIB CRANES



ABELL-HOWE Jib Crane, 3-ton cap., SN 78B9770.

WELDERS



PARTIAL VIEW OF WELDERS

- LINCOLN AC-225 Arc Welder.**
- MILLER CP300 Wire Welder**, SN KA310702.
- LINCOLN SquareWave Tig 255 Welder**, SN 10022-Q195110993.
- MILLER S-52A Wire Feed.**
- LINCOLN Idealarc DC600 Welder.**
- MILLER Spectrum 1500D Welder**, SN KD389298.
- LINCOLN Plasma System**, Mdl. ProCut 125, SN U1960800033.

ALSO SELLING: LINCOLN Sub-Arc Welder, Mdl. NA-S, w/15' rail, SN 112407.

SPRAY METAL COATINGS DEPARTMENT



PLASMA

< Featuring **METCO Type MRN240 Plasma Spray System**, w/MRN240 power supply, 40 kW, 50/60 Hz, MCN control unit, Mdl. EM8364879, 4.2 amp, Metco MBN plasma gun, Metco 4MPD dual hopper feed, SN BM85-6871-1.

> **METCO Diamond Jet Spray Powder System**, w/Metco Mdl. DJP power feed unit, SN AM89418913, SN A42270-2896-23.



ROLLING STOCK



< **2010 CHEVROLET 2500 HD Truck**, single-cab, power windows and locks, auto. trans., 35,872 miles, VIN 1GT3GZB66AF102095.

> **HYSTER 30 Forklift**, 3,000-lb. cap., LP gas, HT, 2-stage mast, side shift.



AIR COMPRESSOR



INGERSOLL RAND Mdl. UP6-50PE-125 Rotary Air Compressor, SN PG4440U08231.



10,000-LB. CAPACITY

< **YALE Forklift**, Mdl. GLC100-LCN6BV085, 10,000-lb. cap., LP gas, HT, 2-stage mast, SN N496119.

MISCELLANEOUS

- DAREX Drill Sharpener**, SN 504142.
- H-Frame Press**, 30-ton, 1-1/8 HP, 12,000 RAM.
- ROCKWELL Hardness Testers.**
- EKSTRON-CARLSTON Mill/Drill**, Mdl. 540, 4' x 19" table.
- C.P. MACHINE TOOLS Box and Pan Brake**, Mdl. NU-4816C, 48", SN 0803008.
- Vibratory Professional Finishing Systems**, Mdl. 300WT, SN 2045.
- WHITECO INC. Steam Cleaner.**
- CROWN Die Lift.**
- 40" Rotary Table.**
- J&L Optical Comparator.**
- Parts Washer.**
- LISTA Tool Cabinets.**
- Misc. Pump Parts.**
- QC: Large Capacity Mics**, up to 60".
- (3) Tool Post Grinders.**
- Pedestal Grinders.**
- Giant Quantity of Lathe and Mill Tooling.**
- Warehouse Ladders.**
- Warehouse Scales.**
- Drum Fans.**
- Shop Fans.**
- Shop Tables.**
- Office Furniture and Equipment.**

SANDBLAST

- Sandblast and Recovery Booth.**
- Sandblast Cabinet.**
- Sandblast Recovery Unit.**
- (3) Sandblast Pots.**
- Zero Blast and Ping Sandblast Cabinet and Recovery System.**



Many Items Not Pictured – See it all at: www.stoneauctioneers.com

PUBLIC AUCTION



STONE
AUCTIONEERS & APPRAISERS

61 Lakeview Lane, Carrollton, AL 35447

**Industrial Pump Rebuilders
& Parts Supplier**



CMC Corporation

Birmingham,
Alabama

Thursday, August 11 at 10:30 A.M.



Short Notice

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

Many Items Not Pictured – See it all at: www.stoneauctioneers.com



PUMPS PARTS, PATTERNS & DRAWINGS INVENTORY

**NEW AND SALVAGED PUMP PARTS FOR NASH,
ALLIS CHALMERS, GOULD, DURCO, BELOIT
AND WORTHINGTON.**

**PUMP PART CASTING PATTERNS AND
DRAWINGS FOR NASH, ALLIS CHALMERS,
GOULD, WORTHINGTON, AHLSTROM, DURCO,
SUNDS, INGERSOLL RAND, AND WARREN.**

Pump Hardware Inventory (not pictured).



CMC Corporation

**Thursday
August 11
at 10:30 A.M.**

Birmingham,
Alabama

Directions, Auction Terms & Conditions
Available at
www.stoneauctioneers.com

NOT PICTURED

KNEE MILLS

BRIDGEPORT Shaper Head, SN E-13122.

NEWPORT Vertical Knee Mill, Mdl. 25, 9" x 42"
table, VS, PF@X, SN 802123.

SAWS

NORTHFIELD FOUNDRY & MACHINE Vertical
Bandsaw, size 36, 26" under, 21" blade, SN 693132-T.

SEARS Craftsman Radial Saw, 10".

JIB CRANES

(2) ABELL-HOWE Jib Cranes, 1/2-ton cap.

METAL COATING

THERMADYNE Spray Metal Kit, w/4.5'
cap. spinning station w/Koike Drive
Max. 3.

THERMADYNE Spray Metal Kit, w/11.5'
cap. spinning station w/Koike Drive Max. 3

**Complete Spray Metal Department
Including Misc. Metal Powder, Spin
Fixtures and Shaft Buffer.**

STORAGE TANK

300-Gallon Storage Tank, 165 PSI @
400 degrees.

See it at: www.stoneauctioneers.com

Public Auction – Live Onsite BidSpotter.com Live Online